


S	103,4, 85, 96, 87, 98, 84, 83, 82, 81, 2, 13, 15, 14, 23, 24, 21, 11, 22, 3, 34, 35, 36, 33, 94, 92, 91, 31, 90	41, 42, 43, 44, 45	51, 53	61, 62, 63	89	71, 72, 73, 74, 75, 76	80
C	2, 50, 4, 61, 1, 3, 6, 8, 5, 7, 56, 60, 47, 59, 58, 57, 13, 9, 10, 11, 12, 15, 16, 14, 55, 25, 24, 23, 20	9, 8	42, 41	56, 19, 23, 32, 15, 33, 53, 18, 17, 14, 57, 16, 20, 40, 49, 46, 22, 24, 28, 31, 13, 30, 55, 29, 34, 39	48, 51	49	50, 51, 37, 38
R	48	43, 47, 46	5, 6, 4, 44	7			

GOLFL. SCHAK. KG I

BANDR. SCHAK. GRAM.



GOLFBEREIKEN: KG I; KG II; KG III; M.G. L.G.
 BANDR. SCHAK.: GRAM-SPRAAK-NORMAAL-BREED.

10-26-46
 20-75-46
 70-100-46

MAT.	SCHEMA KY 488		BEHAND	SCHAAL	FORMAT A3	LAATSTE WIJZ.
DOOR	V Voorbe-	25 02 = 1005		MATEN IN mm	EUROP PROJ.	
VV Gladbe	25 00 = 1000			CODE N.		
	25 02 = 100					
VAN DER HEEM N.V. - DEN HAAG - HOLLAND			GET BY		DA/TD -11-48	

A1+A2+A3+A4 { KG I
 KG II
 KG III : GETEKEND IN STAND KG I
 MG
 LG
 B { GRAM
 SPRAAK
 NORMAAL
 BREED : GETEKEND IN STAND GRAMFOON
 C { EIGEN-L.SPR. : GETEKEND IN STAND EIGEN-L.SPR.
 EXTRA-L.SPR.





FIG. 1



ERRESKY 488

S	101314112.95.96979891.9293.9423.25.2234.32.24.31.32.21.	44.4546.103.104142.43.101.102.51.52.55.56.54.	61.62.63.71.72.73.	81.82.83.84.85.86.	90.
C	2.50.61.4.3.6.1.8.69.5.7.13.17.60.56.59.9.10.11.1258.57.15.14.16.55.18.67.68.20.24.25.65.62.66.19.23.22.47.26.31.30.32.33.28.43.54.34.53.35.63.36.39.37.40.64.29.70.21.45.46.44.38.41.48.49.51.52.42.	42.11.56.23.19.15.18.32.53.12.25.14.17.33.10.54.41.20.41.16.49.26.31.45.22.24.29.27.28.30.55.13.34.39.51.50.37.38.52.			
R	48.43.47.54.6.4.44.6.7.				





FIG. 2

ERRRES KY 488

S	71.72.	73.	63.	62.61.	59.54.	55.	57.52.	101.	102.103.104.114.124.3.4645.44.32.33.34.31.22.21.23.24.25.12.11.14.13.																					
C	60.	59.	49.48.	56.58.	57.	36.37.	39.	70.40.	64.	47.45.	29.	42.44.28.42.13.55.2.	53.34.54.	33.32.	38.	51.46.	55.	31.	30.43.	63.	22.19.	20.62.	23.15.25.	24.67.	65.66.18.16.68.	17.12.11.9.	10.14.3.	61.50.	7.6.	5.8.1.69.
R	43.	48.47.	46.	25.	14.12.	18.17.	29.	41.	45.50.	27.22.	30.103.91.33.45.54.20.40.49.11.6.52.23.42.38.19.56.31.37.28.24.51.53.	44.	15.26.	7.	4.	6.	5.													




SPANNINGEN TOT 50 VOLT, $\pm 10\%$, MET VOLTMEETER 50 VBU 1000 Ω/V
 SPANNINGEN VAN 50-500V, $\pm 10\%$, MET VOLTMEETER 500VBU 1000 Ω/V } GEMETEN TEGEN CHASSIS

FIG. 3 (verbeterd)

ERRES KY 488

VOLT	-55.	280.	265.	240.	225.	265.	95.	265.	-27.	-27.	225.	105.	100.	135.	225.	95.	VOLT																																																		
S							71.72.73.					61.62.63.		51.52.53.54.55.			S																																																		
C		60.	56.	59.	49.	48.	58.	57.	37.	70.	40.	64.	47.	45.	29.	41.	42.	44.	28.	21.	52.	53.	54.	33.	32.	38.	51.	46.	55.	31.	30.	63.	43.	22.	19.	20.	62.	15.	23.	25.	24.	67.	65.	66.	18.	16.	69.	26.	17.	12.	9.	10.	14.	13.	61.	7.	11.	5.	6.	8.	3.	4.	1.	2.	50.	14.	69.
R		43.	48.	47.	46.	25.	12.	14.	18.	29.	17.	41.	45.	50.	27.	22.	30.	10.	9.	13.	34.	55.	54.	20.	40.	11.	6.	52.	23.	42.	38.	19.	56.	31.	37.	28.	24.	51.	53.	44.	15.	26.	7.	4.	6.	5.																					




SPANNINGEN TOT 50 VOLT, $\pm 10\%$ MET VOLTMEETER 50 VBU 1000 Ω/V } GEMETEN TEGEN CHASSIS
SPANNINGEN VAN 50-500V, $\pm 10\%$ MET VOLTMEETER 500VBU 1000 Ω/V }

FIG. 3

ERRRESKY 488

VOLT	V7	V1	V2	V3	V4	V5	V8	V6	V9	V16	V10	V11	V12	V14	V13	V15	VOLT																																													
S	-55.	280.	265.	240.	225.	265.	95.	265.	-27.	-27.	225.	105.	100.	135.	225.	95.	VOLT																																													
C	60.	56.	59.	49.	48.	58.	57.	37.	70.	40.	64.	47.	45.	29.	41.	42.	44.	428.	215.	259.	54.	33.	32.	38.	51.	46.	55.	31.	30.	63.	43.	22.	19.	20.	62.	15.	23.	25.	24.	67.	66.	18.	16.	68.	26.	17.	12.	9.	10.	14.	3.	13.	61.	7.	11.	5.	6.	8.	50.	1.	4.	69.
R	43.	48.	47.	46.	25.	12.	14.	18.	29.	17.	41.	45.	50.	27.	229.	103.	39.	13.	3455.	54.	2040.	4911.	16.	52.	2342.	38.	19.	56.	31.	37.	28.	24.	51.	53.	44.	15.	26.	7.	4.	6.	5.																					



SPANNINGEN TOT 50 VOLT, ±10% MET VOLTMETER 50 V. BU 1000^μV } GEMETEN TEGEN CHASSIS
 SPANNINGEN VAN 50-500 V, ±10% MET VOLTMETER 500 V. BU 1000^μV }

FIG.4

ERRRES KY 488

	VOLT		VOLT
S	81. 82. 83. 84. 85. 86.	35.	90.
C	59. 60.	35. 225.	26.
R			13. 4.